











20. Lopes Pereira EC, Soares BG, Silva AA, Barra GM (2021) Master batch approach for developing PVDF/EVA/CNT nanocomposites with co-continuous morphology and improved electrical conductivity. *J Appl Polym Sci* 138: 51164
21. Meijer-Vissers T, Goossens H (2013) The influence of the cooling rate on the nucleation efficiency of isotactic poly(propylene) with bis(3,4-dimethylbenzylidene)sorbitol. *Macromol Symp* 330: 150-165
22. Qi XD, Sun DX, Yang CJ, Wang WY, Wang Y (2019) Synergistic toughening of carbon nanotubes and nucleating agent in polypropylene/ethylene-propylene-diene terpolymer blend. *Polym Test* 75: 185-191
23. Zhao Y, Yao C, Chang T, Zhu Y (2019) The influence of DMDBS on crystallization behavior and crystalline morphology of weakly-phase-separated olefin block copolymer. *Polymers* 11, 552
24. Quiñones-Jurado ZV, Ávila-Orta CA, Castillo-Reyes BE, Mata-Padilla JM, Hsiao BS, Medellín-Rodríguez FJ, Waldo-Mendoza MA (2018) Effect of sorbitol templates on the preferential crystallographic growth of isotactic Polypropylene Wax. *Crystals* 8: 59